

CORRES CONTROL  
INCOMING LTR NO

00169 RF04

**DUE DATE**

## ACTION

RECEIVED

2004 APR -6 P 1 08

CORRESPONDENCE  
CONTROL

STATE OF COLORADO

Bill Owens Governor  
Jane E. Norton, Executive Director

*Dedicated to protecting and improving the health and environment of the people of Colorado*

4300 Cherry Creek Dr S  
Denver, Colorado 80246-1530  
Phone (303) 692-2000  
TDD Line (303) 691 7700  
Located in Glendale, Colorado

Laboratory and Radiation Services Division  
8100 Lowry Blvd  
Denver Colorado 80230 6928  
(303) 692 3090

<http://www.cdphe.state.co.us>



**Colorado Department  
of Public Health  
and Environment**

April 1, 2004

DIST	LTR	ENC
BERARDINI J H	X	
BOGNAR E S	X	
BROOKS, L	X	
BUTLER, L	X	
CARPENTER M	X	
CROCKETT G A		
DECK, C A	X	
DEGENHART K R		
DIETER, T J		
DIETERLE, S E		
FERRERA, D W	X	
GIACOMINI, J J		
LINDSAY D C		
LONG J W		
LYLE, J L		
MARTINEZ, L A	X	
NAGEL, R E	X	
NESTA, S		
NORTH K	X	
PARKER A M		
RODGERS A D		
SHELTON, D C	X	
SPEARS M S		
PIZZUTO V M		
TUOR N R		
WIEMELT, K		
WILLIAMS J L		
ZAHM, C	X	

Mr Robert C Nininger  
Kaiser-Hill Company, L L C  
Rocky Flats Technology Site  
10808 Highway 93, Building 130, Unit B  
Golden, CO 80403-8200

RE APEN 03JE1099 for 903 Lip Area excavation

Dear Mr Niningen

The Air Pollution Control Division has reviewed the emission information for this source and determined that no emission permit(s) will be required at this time, since this project falls under CERCLA. The Air Pollutant Emission Notice you submitted is required since uncontrolled emissions of particulates exceed 2 tons per year.

This exemption from permit requirements is issued in reliance upon the accuracy and completeness of information supplied by the applicant and is conditioned upon construction, installation, and operation in accordance with this information and with representations made by the applicant or the applicant's agents. Specifically, this exemption has been granted provided that the following information is accurate and complete:

**1 The applicant shall follow the dust control plan as submitted with the application**

Any changes with respect to the original submittal which would result in increases in either emissions or ambient air impacts, or which would result in the emission of any pollutants not listed in the original submittal, automatically nullifies this exemption. Before actually making any such change, you must apply to the Division for a new exemption based on the anticipated change.

The following emissions for this project, as calculated in the Division's Preliminary Analysis, are included in the emission inventory system (AIRS)

Total Suspended Particulates	49.88 tons per year
Particulate Matter <10 microns (PM <sub>10</sub> )	15.16 tons per year

**If you have any questions please give me a call at (303)-692-3168**

Sincerely,

R K Hancock III  
Public Health Engineer  
Stationary Sources Program  
Air Pollution Control Division

COR CONTROL	X	
ADMIN RECORD	X	
PATS/130		

Reviewed for Addressee  
Corres. Control RFP

4/18/04  
Date

By

Ref Ltr #

DOE ORDER #

DOCUMENT CLASSIFICATION  
REVIEW PER  
CLASSIFIED BY OFFICE

**ADMIN RECORD**

**LA-A-002043**